

M & M Inter Company limited บริษัท เอ็มแอนด์เอ็ม อินเตอร์ จำกัด

25/7 หมู่ที่ 1 ตำบลคลองโยง อำเภอพุทธมณฑล จังหวัดนครปฐม 73170 25/7 Moo Khlongyong, Phutthamonthon, Nakornpathom 73170 Tel. 034-246247-50 Fax.034-246251

Email: info@mmintergroup.com Website: www.mmintergroup.com

MATERIAL SAFETY DATA SHEET

1. Identification of the manufacturer

Product : Plastic Abrasive (Melamine)

Mesh Size :

Mesh	Microns
12/16	1180-1700
16-20	850-1180
20/40	600-850
30/40	420-600
40/60	250-420
60/80	180-250
80/100	150-180

Uses of Goods: designed specifically for deflashing, coating

removal, paint stripping, mould cleaning and

surface preparation

Thailand Distributor : M&M Inter Co.,Ltd.

25/7 Moo 1 Khlongyong, Phutthamonthon,

Nakornpathom 73170

2. Chemical Composition

Ingredients / CAS Registry No. : 98.50 - 99.00 % Polymerized Melamine

Formaldehyde grits

CAS Registry No.: 9003-08-1

: 1.00 - 1.50 % Polymerized Colour pigments

CAS Registry No.: N.A.

0.04 - 0.06 % Antistatic Agent Cystat SN

CAS Registry No. : 2764-13-8



M & M Inter Company limited บริษัท เอ็มแอนด์เอ็ม อินเตอร์ จำกัด

25/7 หมู่ที่ 1 ตำบลคลองโยง อำเภอพุทธมณฑล จังหวัดนครปฐม 73170 25/7 Moo Khlongyong, Phutthamonthon, Nakornpathom 73170 Tel. 034-246247-50 Fax.034-246251

Email: info@mmintergroup.com Website: www.mmintergroup.com

3. Physical and Chemical Properties

Physical status / Appearance : Solid, Granular.

Colour : Mixed spectrum of colours.

Odor : Nil. Flash point : Nil.

Ignition Temperature : 530 Deg. C Vapor Pressure (mm of HG) : Not Applicable Vapor Density : Not Applicable Solubility in water : Insoluble

Specific Gravity : 1.45 - 1.55

Boiling point : Nil Melting point : Nil

Freezing Point : Not Applicable **Evaporation Rate** : Not Applicable

4. First Aid Measures

After Inhalation : Remove to fresh air.

After skin contact : Rinse with running water and soap.

: Immediately flush eyes with running water After eye contact

for 10 minutes and see physician.

: Seek medical attention immediately. After Ingestion

5. Fire Fighting Measures

Breathing Apparatus : Material is not combustible. Fire fighters

Should wear self contained Breathing

apparatus. If exposed to fire please follow the

below procedures.

: Foam, extinguishing powder, carbon dioxide, Suitable extinguishing media

water.

Extinguishing media which must : High pressure water jet. not be used for safety

reasons

Special exposure hazards from

Unusual Fire Hazards

: Airborne dust of any nature could form explosive mixture with air. Maintain good

housekeeping for control of dust.

: None known. resulting gases

6. Accidental Release Measures

Personal precautions : Avoid contact with eyes and skin.

Environmental precautions : Do not allow to flow into drainage system.

Method of cleaning up / removing : Sweep up and place into plastic bags or

containers.



M & M Inter Company limited บริษัท เอ็มแอนด์เอ็ม อินเตอร์ จำกัด

25/7 หมู่ที่ 1 ดำบลคลองโยง อำเภอพุทธมณฑล จังหวัดนครปฐม 73170 25/7 Moo Khlongyong, Phutthamonthon, Nakornpathom 73170 Tel. 034-246247-50 Fax.034-246251

Email: info@mmintergroup.com Website: www.mmintergroup.com

7. Hazardous Identification

PEL : No PEL has been established for this

product as usage is within confined blasting

chamber.

TLV : No TLV has been established for any

component of this product.Prolonged exposure may cause skin and eye irritation. As product is intended to be used within a confined blasting chamber, prolonged exposure is unlikely.

Hazard Classes : Non Regulated

8. Handling and Storage

Handling : No special measures required.

Storage : Store in a dry place and keep material tightly

sealed.

9. Exposure control

Information on the system design

Ventilation

: No special measures required.

: Locate exhaust where necessary to maintain exposure level to OSHA

permissible limits.

10.Personal protection

Personal protection : Wear suitable protective gloves and

protective goggles.

Respiratory Protection : The need for respiratory protection should

be determined by An Industrial Hygiene

evaluation.

11. Stability and Reactivity

Stability : Stable

Conditions to avoid : None known

Materials to avoid : None if used for its intended purpose.

Hazardous decomposition products : None.

12. Toxicological Information

Ingestion : Moderately toxic after ingestion.

Skin contact : Over exposure may cause irritation.

Eye contact : Over exposure may cause irritation.



M & M Inter Company limited บริษัท เอ็มแอนด์เอ็ม อินเตอร์ จำกัด

25/7 หมู่ที่ 1 ตำบลคลองโยง อำเภอพุทธมณฑล จังหวัดนครปฐม 73170 25/7 Moo Khlongyong, Phutthamonthon, Nakornpathom 73170 Tel. 034-246247-50 Fax.034-246251

Email: info@mmintergroup.com Website: www.mmintergroup.com

13.Ecological Information

Persistence and degradability

: Material is not biodegradable as it is. The antistatic agent added to material is biodegradable. As disposal is after conversion to dust during its intended use, it is approved for land fill. If dust is contaminated with other toxic waste during

use, approval from local authorities are

needed.

Aquatic toxicity

: Do not release into water. The antistatic agent applied is mildly toxic to fishes.

14.Disposal Considerations

Method

: Landfill. As disposal is after conversion to dust during its intended use, it is approved for landfill. If dust is contaminated with other toxic waste during use, approval from local

authorities are needed

15. Transport Information

Special Requirement

: Not a hazardous material. Not subjected to any

regulations.

16. Special Precautions

: None.